

DERWENT-ACC-NO: 1990-150369

DERWENT-WEEK: 199824

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Magazine for photographic material -
comprises cloth of composite fibre of electroconductive
particles and synthetic polymer, etc.

PATENT-ASSIGNEE: KONICA CORP[KONS]

PRIORITY-DATA: 1988JP-0245808 (September 29, 1988)

PATENT-FAMILY:

| PUB-NO | PAGES | PUB-DATE | MAIN-IPC |
|---------------|-------------|---------------|----------|
| JP 02093456 A | | April 4, 1990 | N/A |
| 008 | N/A | | |
| JP 2750873 B2 | | May 13, 1998 | N/A |
| 007 | G03C 003/00 | | |

APPLICATION-DATA:

| PUB-NO | APPL-DESCRIPTOR | APPL-NO |
|----------------|--------------------|------------|
| JP 02093456A | N/A | |
| 1988JP-0245808 | September 29, 1988 | |
| JP 2750873B2 | N/A | |
| 1988JP-0245808 | September 29, 1988 | |
| JP 2750873B2 | Previous Publ. | JP 2093456 |
| N/A | | |

INT-CL (IPC): C08L101/00, G03C003/00

ABSTRACTED-PUB-NO: JP 02093456A

BASIC-ABSTRACT:

Magazine for photographic material has photographic
material taking-out slit
where piece of cloth with pile made up of composite fibre,
in which electric

conductive component comprising electric conductive particles and thermoplastic synthetic polymer and electrification controlling component comprising fibre-forming polymer contg. electrification controlling agent are joined together, is attached as light shielding member. Electric conductive particle is pref. electric conductive carbon black. Thermoplastic synthetic polymer is pref. nylon-6 or 12, PET, polyethylene, polypropylene or their modified resin. Fibre-forming polymer is pref. nylon-66.

USE/ADVANTAGE - Used for charging high speed automatic camera. By synergistic electric charge-removing effect by electric conductive component which retards corona discharge and electrification controlling component which accelerates damping of electric charge, generation of static mark or adsorption of dust is eliminated. Electroconductive component is protected by charge controlling component, so compared with conventional fibre, fibre can be handled without special caution.

CHOSEN-DRAWING: Dwg.0/4

TITLE-TERMS: MAGAZINE PHOTOGRAPH MATERIAL COMPRISE CLOTH COMPOSITE FIBRE

ELECTROCONDUCTING PARTICLE SYNTHETIC POLYMER

DERWENT-CLASS: A17 A23 A89 G06 P83

CPI-CODES: A08-M09A; A09-A03; A12-L02A; A12-P; G06-E;

UNLINKED-DERWENT-REGISTRY-NUMBERS: 5085U

POLYMER-MULTIPUNCH-CODES-AND-KEY-SERIALS:

Key Serials: 0013 0221 0231 0239 0248 1283 3174 3178 1319 1450 1462 1723 1804

3135 1990 2217 2319 2525 2528 2551 2553 2774 2807 2819

Multipunch Codes: 014 028 04- 041 046 047 050 141 143 144 155 157 160 163 166

169 170 171 192 193 206 207 231 307 308 310 33& 342 381 481

483 506 509 511 55&
643 658 664 688 725

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1990-065806

Non-CPI Secondary Accession Numbers: N1990-116621